	<h1>SAFETY DATA SHEET</h1>	Page : 1 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<h2>FIJACEYS TRANSPARENTE 20 ml</h2>		<h3>507204</h3>

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : FIJACEYS TRANSPARENTE 20 ml  
Product code : 507204

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Instant Adhesive

#### 1.3. Details of the supplier of the safety data sheet

Company identification : CEYS, S.A.  
Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

#### 1.4. Emergency telephone number

Phone nr : 0034 93 260 68 00 (24h)

### 2. Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : F; R11  
R67  
Xi; R38  
N; R51-53

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

**Health hazards** : Skin irritation - Category 2 - Warning (CLP : Skin Irrit. 2) H315  
Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 -  
Warning (CLP : STOT SE 3) H336

**Physical hazards** : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

**Environmental hazards** : Hazardous to the aquatic environment - Chronic hazard - Category 2 (CLP :  
Aquatic Chronic 2) H411


#### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

**CEYS, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

<p>Grupo AC MARCA</p> 	<h1>SAFETY DATA SHEET</h1>	Page : 2 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<h2>FIJACEYS TRANSPARENTE 20 ml</h2>		<h3>507204</h3>

## 2. Hazards identification (continued)

Symbol(s)



Symbol(s)

: Xi : Irritant  
F : Highly flammable  
N : Dangerous for the environment

R Phrase(s)

: R11 : Highly flammable.  
R38 : Irritating to skin.  
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R67 : Vapours may cause drowsiness and dizziness.

S Phrase(s)

: S2 : Keep out of the reach of children.  
S9 : Keep container in a well-ventilated place.  
S16 : Keep away from sources of ignition - No smoking.  
S46 : If swallowed seek medical advice immediately and show this container or label.  
S51 : Use only in well-ventilated areas.  
S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Further Phrases

: Do not ingest

### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H225 : Highly flammable liquid and vapour.  
H315 : Causes skin irritation.  
H336 : May cause drowsiness or dizziness.  
H411 : Toxic to aquatic life with long lasting effects.

Supplemental hazard information

: Do not ingest  
Do not use for carpet laying. Do not use in conditions of poor ventilation.

Precautionary statements

• General

: P301+P312+P330: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.  
P102: Keep out of reach of children.

• Prevention

: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

• Response

: IF ON SKIN : Gently wash with plenty of soap and water.


• Disposal considerations

: P501: Dispose of contents and container in a public collection point for hazardous or special waste if it is not entirely consumed.

### 2.3. Other hazards

Other hazards

: None under normal conditions.

	<h1>SAFETY DATA SHEET</h1>	Page : 3 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<h2>FIJACEYS TRANSPARENTE 20 ml</h2>		<h3>507204</h3>

### 3. Composition/information on ingredients

**Substance / Preparation** : Preparation.  
**Hazardous component(s)** : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Heptane	: > 10 < 20 %	142-82-5	205-563-8	601-008-00-2	----	F; R11 Xn; R65 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2;H225 Asp. Tox. 1;H304 Skin Irrit. 2;H315 STOT SE; H336 Aquatic Chronic 2;H411
Cyclohexane	: > 10 < 20 %	110-82-7	203-806-2	601-017-00-1	----	F; R11 Xn; R65 R67 Xi; R38 N; R50-53 ----- Flam. Liq. 2;H225 Asp. Tox. 1;H304 Skin Irrit. 2;H315 STOT SE; H336 Aquatic Acute 1;H400 Aquatic Chronic 1;H410
Isohexane	: > 1 < 5 %	64742-49-0	265-151-9	----	----	F; R11 Xn; R65 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2;H225 Asp. Tox. 1;H304 Skin Irrit. 2;H315 STOT SE; H336 Aquatic Chronic 2;H411
Acetone	: > 1 < 5 %	67-64-1	200-662-2	606-001-00-8	----	F; R11 R66 R67 Xi; R36 ----- Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE; H336 EUH066
Methylcyclohexane	: > 1 < 5 %	108-87-2	203-624-3	601-018-00-7	----	F; R11 Xn; R65 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2;H225 Asp. Tox. 1;H304 Skin Irrit. 2;H315 STOT SE; H336 Aquatic Chronic 2;H411
n-Hexane	: > 0.1 < 1 %	110-54-3	203-777-6	601-037-00-0	----	F; R11 Repr. Cat. 3; R62 Xn; R65-48/20 R67 Xi; R38 N; R51-53 ----- Flam. Liq. 2;H225 Asp. Tox. 1;H304 Repr. 2;H361f Skin Irrit. 2;H315 STOT SE3;H335 STOT RE 2;H373 STOT SE; H336 Aquatic Chronic 2;H411

### 4. First aid measures


#### 4.1. Description of first aid measures

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.  
**Ingestion** : Obtain emergency medical attention.

**CEYS, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

	<b>SAFETY DATA SHEET</b>	Page : 4 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<b>FIJACEYS TRANSPARENTE 20 ml</b>		<b>507204</b>

#### 4. First aid measures (continued)

##### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Causes skin irritation.  
May cause drowsiness or dizziness.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physician** : Never give anything by mouth to an unconscious person. Information on the current composition has been sent to the Spanish Poisons Centre. Tel (24hs, Information in Spanish): +34 91 562 04 20  
If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
**Unsuitable extinguishing media** : Do not use a heavy water stream.  
**Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

**Flammable class** : Highly flammable liquid and vapour.  
**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.  
**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.  
**Technical measures** : Use special care to avoid static electric charges.  
**Special precautions** : Remove ignition sources. No naked lights. No smoking.  
**For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions




**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

##### 6.3. Methods and material for containment and cleaning up

**CEYS, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

<b>Grupo AC MARCA</b>   	<b>SAFETY DATA SHEET</b>	Page : 5 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<b>FIJACEYS TRANSPARENTE 20 ml</b>		<b>507204</b>

## 6. Accidental release measures (continued)

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling

**Handling** : Handle empty containers with care because residual vapours are flammable.  
**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.  
**Special precautions** : No naked lights. No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep in fireproof place.  
**Storage - away from** : No data available. Heat sources.

### 7.3. Specific end use(s)

**Specific end use(s)** : None.

## 8. Exposure controls/personal protection

### 8.1. Exposure controls


**Personal protection**



**Personal protection** : Avoid all unnecessary exposure.  
**• Respiratory protection** : Not required. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.  
**• Hand protection** : In case of repeated or prolonged contact wear gloves.  
**• Skin protection** : Wear suitable protective clothing.  
**• Eye protection** : Chemical goggles or safety glasses.  
**• Others** : When using, do not eat, drink or smoke.

### 8.2. Control parameters

**Occupational Exposure Limits** : No data available.  
**Occupational Exposure Limits** : Acetone : VLA-ED [ppm] : 500  
Acetone : VLA-ED [mg/m<sup>3</sup>] : 1210

	<h1>SAFETY DATA SHEET</h1>	Page : 6 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<h2>FIJACEYS TRANSPARENTE 20 ml</h2>		<h3>507204</h3>

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: No data available.
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Flash point [°C]	: -4
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: No data available.
Acid/alkali reserve [g NaOH/100g]	: No data available.
Vapour pressure [20°C]	: No data available.
Vapour pressure [50°C]	: No data available.
Vapour density	: No data available.
Density [kg/m <sup>3</sup> ]	: No data available.
Density [g/cm <sup>3</sup> ]	: No data available.
Relative density, liquid (water=1)	: No data available.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Viscosity at 40°C [mm <sup>2</sup> /s]	: No data available.

### 9.2. Other information

Explosive properties	: No data available.
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

## 10. Stability and reactivity

### 10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

### 10.2. Chemical stability


Chemical stability	: Stable under recommended storage conditions.
--------------------	--

### 10.3. Possibility of hazardous reactions

**CEYS, S.A.**

In case of emergency : 0034 93 260 68 00 (24h)

Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

	<b>SAFETY DATA SHEET</b>	Page : 7 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<b>FIJACEYS TRANSPARENTE 20 ml</b>		<b>507204</b>

## 10. Stability and reactivity (continued)

**Hazardous reactions** : Not established.

### 10.4. Conditions to avoid

**Conditions to avoid** : Not established. Open flame. Direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** : Not established.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** : Not established.  
May release flammable gases.

## 11. Toxicological information

### 11.1. Information on toxicological effects

**Toxicity information** : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

#### **Acute toxicity**

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Based on available data, the classification criteria are not met.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes skin irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : May cause drowsiness or dizziness.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

## 12. Ecological information

### 12.1. Toxicity

**Toxicity information** : Toxic to aquatic life with long lasting effects.

### 12.2. Persistence - degradability


**Persistence - degradability** : May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

**CEYS, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com

<b>Grupo AC MARCA</b> 	<b>SAFETY DATA SHEET</b>	Page : 8 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<b>FIJACEYS TRANSPARENTE 20 ml</b>		<b>507204</b>

## 12. Ecological information (continued)

**Bioaccumulative potential** : Not established.

### 12.4. Mobility in soil

**Mobility in soil** : Not established.

**Log Pow octanol / water at 20°C** : No data available.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

### 12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

## 13. Disposal considerations

### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

**Special precautions** : Handle empty containers with care because residual vapours are flammable.

## 14. Transport information

### General information

**Finished Product in Limited Quantity (LQ). Fulfills chapters 3.4 of ADR and IMDG and 2.8 of IATA.**

### 14.1. Land transport (ADR-RID)

**Proper shipping name** : ADHESIVES containing flammable liquid (vapour pressure at 50 °C more than 110 kPa)

**UN N°** : 1133

**H.I. nr** : 33

**ADR - Class** : 3


**Labelling - Transport** : 3 9E

**ADR - Classification code** : F1

**ADR - Group** : II

**ADR - Limited Quantity** : 5 L

**ADR - Tunnel code**



: D/E


### 14.2. Sea transport (IMDG) [English only]

**CEYS, S.A.**

**In case of emergency : 0034 93 260 68 00 (24h)**

Avda. Carrilet, 293-299  
08907 L'Hospitalet de Llobregat  
Barcelona (SPAIN)  
Tel. +34 93 260 68 00/ Fax +34 93 260 68 98  
reach@grupoacmarca.com



	<h1>SAFETY DATA SHEET</h1>	Page : 9 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<h2>FIJACEYS TRANSPARENTE 20 ml</h2>		<h3>507204</h3>

#### 14. Transport information (continued)

**Proper shipping name** : ADHESIVES containing flammable liquid (vapour pressure at 50 °C more than 110 kPa)  
**UN N°** : 1133  
**IMO-IMDG - Class or division** : 3 ( 9E )  
**IMO-IMDG - Packing group** : II  
**IMO-IMDG - Limited quantities** : 5 L  
**IMO-IMDG - Marine pollution** : No  
**EMS-Nr** : F-E S-D

##### 14.3. Air transport (ICAO-IATA) [English only]

**Proper shipping name** : ADHESIVES containing flammable liquid (vapour pressure at 50 °C more than 110 kPa)  
**UN N°** : 1133  
**IATA - Class or division** : 3 ( 9E )  
**IATA - Packing group** : II  
**IATA - Limited Quantities** : 1 L  
**ERG-Nr** : 3L

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.


**REACH Restrictions - Annex XVII** : • Cyclohexane : Annex XVII

##### 15.2. Chemical Safety Assessment

**Chemical Safety Assessment** : It has not been carried out.

#### 16. Other information

**Revision** : Revision - See : \*  
**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative  
**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
**List of relevant R phrases (heading 3)** : R11 : Highly flammable.  
R36 : Irritating to eyes.  
R38 : Irritating to skin.  
R48/20 : Harmful : danger of serious damage to health by prolonged exposure through inhalation.  
R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

	<b>SAFETY DATA SHEET</b>	Page : 10 / 10
		Revised edition no : 0
		Date : 21 / 7 / 2014
		Supersedes : 0 / 0 / 0
<b>FIJACEYS TRANSPARENTE 20 ml</b>		<b>507204</b>

**16. Other information (continued)**

**List of full text of H-statements in section 3**

R62 : Possible risk of impaired fertility.  
R65 : Harmful : may cause lung damage if swallowed.  
R66 : Repeated exposure may cause skin dryness or cracking.  
R67 : Vapours may cause drowsiness and dizziness.  
: H225 : Highly flammable liquid and vapour.  
H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H336 : May cause drowsiness or dizziness.  
H361f : Suspected of damaging fertility.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.  
EUH066: Repeated exposure may cause skin dryness or cracking.

**Further information**

: None.

The contents and format of this SDS are in accordance with REACH Regulation (CE) N° 1907/2006.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This document is the English version.

**End of document**